



# CV1252T

## 12 Inch 2-Way Full Range Loudspeaker System

### Professional Series

### Key Features:

- ▶ Specially designed 12" high performance woofer provides greater power handling and is fitted with demodulating aluminum ring for lower distortion and power compression
- ▶ Two (2) 3" paper cone tweeters provide excellent high-frequency response and superb vocal reproduction
- ▶ MDF (medium density fiberboard) enclosure with vinyl finish provides grand appearance and durability
- ▶ Precisely designed crossover optimizes the frequency response and provides smooth and accurate music reproduction
- ▶ Built-in high quality multi-tap 70V/100V transformer
- ▶ 150°×120° coverage pattern for even and smooth response on and off axis
- ▶ Ideal for installations with limited ceiling height
- ▶ Rotatable JBL COMMERCIAL logo for easy coherence to your installation
- ▶ White (-WH) color available upon request

### Applications:

- ▶ Sound reinforcement for restaurants, conference rooms, hotels, cafes, halls, school rooms, etc.
- ▶ High-performance satellite speaker for use with subwoofers.

CV1252T is a two-way full-range speaker designed for restaurants, conference rooms, music cafes, hotels, etc. Its especially wide coverage pattern (150°×120°) makes it a perfect choice for installations where the ceiling height is relatively limited.

CV1252T utilizes a 12" woofer and two (2) 3" paper cone tweeters. The 12" woofer features a non-pressed long fiber pulp cone with foam surround providing necessary stiffness and high reliability. The aluminum demodulating cooling ring reduces distortion and power compression. Two (2) 3" paper cone tweeters provide excellent high-frequency response and superb vocal reproduction.

With a built-in high-performance multi-tap acoustic transformer (70V/100V), CV1252T realizes lower distortion, broader frequency range, flatter frequency response and lower insert loss. Precisely designed crossover optimizes the frequency response and provides smooth and accurate music reproduction.

The enclosure constructed of MDF with vinyl laminated finish presents grand and elegant appearance. Two (2) high-strength M10 attachment points guarantee stability of suspension installations. The integrated grille with V-shape pattern adds a distinctive element to the overall grand and elegant appearance of the loudspeaker in addition to protecting the components of loudspeaker from damage.



### Specifications:

<b>System:</b>	
System Type:	12", 2-way, bass-reflex
Frequency Range (-10 dB) <sup>1</sup> :	60 Hz – 18 kHz
Frequency Response(±3dB) <sup>1</sup> :	70 Hz – 15 kHz
Sensitivity(1W@1m) <sup>1</sup> :	92 dB
Nominal Impedance:	8Ω(at 8Ω tap setting)
Maximum SPL(1m) <sup>2</sup> :	117 dBcontinuous average (123 dB peak) (at 8Ωtap setting)
Power Rating <sup>3</sup> : (Continuous/Program/Peak)	300 W / 600 W / 1200 W(at 8Ω tap setting)
Coverage:	150°×120° (H × V)
Transformer Tap:	8 Ohms, 70 V (20 W / 40 W / 80 W / 160 W), 100 V (40 W / 80 W / 160 W)
Insert Loss:	<1.0 dB at any tap setting
<b>Transducers:</b>	
LF Driver:	1 × 12" woofer
HF Driver:	2 × 3" paper cone tweeter
<b>Physical:</b>	
Enclosure:	Trapezoid, 15 mm MDF
Suspension:	2 × M10 threaded suspension points
Finish:	Vinyl laminated, black. White(-WH) available upon request.
Grille:	Powder coated, 1.0 mm perforated steel
Input Connector:	Dual RED/BALCK connector in parallel for loop-through.
Dimensions (H × W × D):	352 mm × 586 mm × 350 mm (13.9 in × 23.1 in × 13.8 in)
Net Weight:	17.4 kg (38.4 lbs)

<sup>1</sup> Full space (4π) conditions


<sup>2</sup> Calculated maximum SPL based on rated power handling

<sup>3</sup> IEC standard, pink noise with 6dB crest factor for 2 hours


JBL continually engages in research related to product improvement. Some materials, production methods and design refinements are introduced into existing products without notice as a routine expression of that philosophy. For this reason, any current JBL product may differ in some respect from its published description, but will always equal or exceed the original design specifications unless otherwise stated.

# ▶ CV1252T 12 Inch 2-Way Full Range Loudspeaker System

## Frequency Response:




## Beamwidth:



## Dimensions:

Dimensions in mm (inch)



JBL Professional  
 8500 Balboa Boulevard, P.O. Box 2200  
 Northridge, California 91329 U.S.A.  
 © Copyright 2016 JBL Professional  
 www.jblpro.com

SS CV1252T  
 SZ  
 04/16